

Computational vision and regularization theory

Tomaso Poggio, Vincent Torre* & Christof Koch

Artificial Intelligence Laboratory and Center for Biological Information Processing, Massachusetts Institute of Technology, 545 Technology Square, Cambridge, Massachusetts 02193, USA

* Istituto di Fisica, Università di Genova, Genova, Italy

Descriptions of physical properties of visible surfaces, such as their distance and the presence of edges, must be recovered from the primary image data. Computational vision aims to understand how such descriptions can be obtained from inherently ambiguous and noisy data. A recent development in this field sees early vision as a set of ill-posed problems, which can be solved by the use of regularization methods. These lead to algorithms and parallel analog circuits that can solve 'ill-posed problems' and which are suggestive of neural equivalents in the brain.

COMPUTATIONAL vision denotes a new field in artificial intelligence, centred on theoretical studies of visual information processing. Its two main goals are to develop image understanding systems, which automatically construct scene descriptions from image input data, and to understand human vision.

Early vision is the set of visual modules that aim to extract the physical properties of the surfaces around the viewer, that is, distance, surface orientation and material properties (reflectance, colour, texture). Much current research has analysed processes in early vision because the inputs and the goals of the computation can be well characterized at this stage (see refs 1-4 for reviews). Several problems have been solved and several specific algorithms have been successfully developed. Examples are stereomatching, the computation of the optical flow, structure from motion, shape from shading and surface reconstruction.

A new theoretical development has now emerged that unifies much of these results within a single framework. The approach has its roots in the recognition of a common structure of early vision problems. Problems in early vision are 'ill-posed', requiring specific algorithms and parallel hardware. Here we introduce a specific regularization approach, and discuss its implications for computer vision and parallel computer architectures, including parallel hardware that could be used by biological visual systems.

Early vision processes

Early vision consists of a set of processes that recover physical properties of the visible three-dimensional surfaces from the two-dimensional intensity arrays. Their combined output roughly corresponds to Marr's 2-1/2D sketch¹, and to Barrow and Tennenbaum's intrinsic images⁵. Recently, it has been customary to assume that these early vision processes are general and do not require domain-dependent knowledge, but only

generic constraints about the physical world and the imaging stage (see box). They represent conceptually independent modules that can be studied, to a first approximation, in isolation. Information from the different processes, however, has to be combined. Furthermore, different modules may interact early on. Finally, the processing cannot be purely 'bottom-up': specific knowledge may trickle down to the point of influencing some of the very first steps in visual information processing.

Computational theories of early vision modules typically deal with the dual issues of representation and process. They must specify the form of the input and the desired output (the representation) and provide the algorithms that transform one into the other (the process). Here we focus on the issue of processes and algorithms for which we describe the unifying theoretical framework of regularization theories. We do not consider the equally important problem of the primitive tokens that represent the input of each specific process.

A good definition of early vision is that it is inverse optics. In classical optics or in computer graphics the basic problem is to determine the images of three-dimensional objects, whereas vision is confronted with the inverse problem of recovering surfaces from images. As so much information is lost during the imaging process that projects the three-dimensional world into the two-dimensional images, vision must often rely on natural constraints, that is, assumptions about the physical world, to derive unambiguous output. The identification and use of such constraints is a recurring theme in the analysis of specific vision problems.

Two important problems in early vision are the computation of motion and the detection of sharp changes in image intensity (for detecting physical edges). They illustrate well the difficulty of the problems of early vision. The computation of the two-dimensional field of velocities in the image is a critical step in several schemes for recovering the motion and the three-dimensional structure of objects. Consider the problem of determining the velocity vector V at each point along a smooth contour in the image. Following Marr and Ullman⁶, one can assume that the contour corresponds to locations of significant intensity change. Figure 1 shows how the local velocity vector is decomposed into a normal and a tangential component to the curve. Local motion measurements provide only the normal component of velocity. The tangential component remains 'invisible' to purely local measurements (unless they refer to some discontinuous features of the contour such as a corner). The problem of estimating the full velocity field is thus, in general, underdetermined by the measurements that are directly available from the image. The measurement of the optical flow is inherently ambiguous. It can be made unique only by adding information or assumptions.

The difficulties of the problem of edge detection are somewhat different. Edge detection denotes the process of identifying the

Examples of early vision processes

- Edge detection
- Spatio-temporal interpolation and approximation
- Computation of optical flow
- Computation of lightness and albedo
- Shape from contours
- Shape from texture
- Shape from shading
- Binocular stereo matching
- Structure from motion
- Structure from stereo
- Surface reconstruction
- Computation of surface colour




Fig. 1 Ambiguity of the velocity field. *a*, Local measurements cannot measure the full velocity field in the image plane, originated here by three-dimensional rotation of a solid object (three frames are shown). Any process operating within the aperture (shown as a white circle) can compute only the component of motion perpendicular to the contour. *b*, Decomposition of the velocity vector along the contour, parametrized by the arc length s into components normal ($V^N(s)$) and tangential ($V^T(s)$) to the curve. The computer drawing was kindly provided by Karl Sims.

physical boundaries of three-dimensional surfaces from intensity changes in their image. What is usually intended with edge detection is a first step towards this goal, that is, detecting and localizing sharp changes in image intensity. This is a problem of numerical differentiation of image data, which is plagued by the noise unavoidable during the imaging and the sampling processes. Differentiation amplifies noise and this process is thus inherently unstable. Figure 3 shows an example of an edge profile and its second derivative, where noise is significantly amplified. Most problems in early vision present similar difficulties. They are mostly underconstrained, as in the computation of the optical flow, or not robust against noise, as in edge detection.

Ill-posed problems

The common characteristics of most early vision problems (in a sense, their deep structure) can be formalized: most early vision problems are ill-posed problems in the precise sense defined by Hadamard^{7,8}. This claim captures the importance of constraints and reflects the definition of vision as inverse optics.

Hadamard first introduced the definition of ill-posedness in the field of partial differential equations⁹. Although ill-posed problems have been considered for many years as almost exclusively mathematical curiosities, it is now clear that many ill-posed problems, typically inverse problems, are of great practical interest (for instance, computer tomography). A problem is well-posed when its solution exists, is unique and depends continuously on the initial data. Ill-posed problems fail to satisfy one or more of these criteria. Note that the third condition does not imply that the solution is robust against noise in practice. For this, the problem must not only be well-posed but also be well conditioned to ensure numerical stability¹⁰.

It is easy to show formally that several problems in early vision are ill-posed in the sense of Hadamard⁸: stereo matching, structure from motion, computation of the optical flow, edge detection, shape from shading, the computation of lightness and surface reconstruction. Computation of the optical flow is ill-posed because the 'inverse' problem of recovering the full velocity field from its normal component along a contour fails to satisfy the uniqueness condition. Edge detection, intended as numerical differentiation, is ill-posed because the solution does not depend continuously on the data.

The main idea for 'solving' ill-posed problems, that is for restoring 'well-posedness', is to restrict the class of admissible solutions by introducing suitable *a priori* knowledge. *A priori* knowledge can be exploited, for example, under the form of either variational principles that impose constraints on the possible solutions or as statistical properties of the solution space. We will use the general term regularization for any method used to make an ill-posed problem well-posed. Variational regularization will indicate the regularization methods that reformulate an ill-posed problem in terms of a variational principle. We will next outline specific variational methods that we will denote as the standard regularization methods, attributable mainly to Tikhonov^{11,12} (see also refs 13, 14). We will also outline future extensions of the standard theory from the perspective of early vision.

The regularization of the ill-posed problem of finding z from the 'data' y

$$Az = y \tag{1}$$

requires the choice of norms $\|\cdot\|$ and of a stabilizing functional $\|Pz\|$. In standard regularization theory, A is a linear operator, the norms are quadratic and P is linear. Two methods that can be applied are^{8,13}: (1) among z that satisfy $\|Az - y\| \leq \epsilon$ find z that minimizes (ϵ depends on the estimated measurement errors and is zero if the data are noiseless)

$$\|Pz\|^2 \tag{2}$$

(2) find z that minimizes

$$\|Az - y\|^2 + \lambda \|Pz\|^2 \tag{3}$$

where λ is a so-called regularization parameter.

The first method computes the function z that is sufficiently close to the data and is most 'regular', that is minimizes the 'criterion' $\|Pz\|^2$. In the second method, λ controls the compromise between the degree of regularization of the solution and its closeness to the data. Standard regularization theory provides techniques for determining the best λ ^{12,15}. Thus, standard regularization methods impose the constraints on the problem by a variational principle, such as the cost functional of equation (3). The cost that is minimized reflects physical constraints about what represents a good solution: it has to be both close to the data and regular by making the quantity $\|Pz\|^2$ small. P embodies the physical constraints of the problem. It can be shown for quadratic variational principles that under mild conditions the solution space is convex and a unique solution exists. It must be pointed out that standard regularization methods have to be applied after a careful analysis of the ill-posed nature of the problem. The choice of the norm $\|\cdot\|$, of the stabilizing functional $\|Pz\|$ and of the functional spaces involved is dictated both by mathematical properties and by physical plausibility. They determine whether the precise conditions for a correct regularization hold for any specific case.

Variational principles are used widely in physics, economics and engineering. In physics, for instance, most of the basic laws have a compact formulation in terms of variational principles that require minimization of a suitable functional, such as the energy or the lagrangian.

Examples

Variational principles of the form of equation (3) have been used in the past in early vision¹⁶⁻²⁵. Other problems have now been approached in terms of standard regularization methods

Table 1 Regularization in early vision

Problem	Regularization principle
Edge detection	$\int [(Sf - i)^2 + \lambda (f_{xx})^2] dx$
Optical flow (area based)	$\int [i_x u + i_y v + i_t]^2 + \lambda (u_x^2 + u_y^2 + v_x^2 + v_y^2) dx dy$
Optical flow (contour based)	$\int [(V \cdot N - V^N)^2 + \lambda ((\partial/\partial s)V)^2] ds$
Surface reconstruction	$\int [S \cdot f - d]^2 + \lambda (f_{xx}^2 + 2f_{xy}^2 + f_{yy}^2) dx dy$
Spatiotemporal approximation	$\int [(S \cdot f - i)^2 + \lambda (\nabla f \cdot V + ft)^2] dx dy dt$
Colour	$\ I^v - Az\ ^2 + \lambda \ Pz\ ^2$
Shape from shading	$\int [(E - R(f, g))^2 + \lambda (f_x^2 + f_y^2 + g_x^2 + g_y^2)] dx dy$
Stereo	$\int \{[\nabla^2 G * (L(x, y) - R(x + d(x, y), y))]^2 + \lambda (\nabla d)^2\} dx dy$

Some of the early vision problems that have been solved in terms of variational principles. The first five are standard quadratic regularization principles. In edge detection^{26,27} the data on image intensity ($i = i(x)$) (for simplicity in one dimension) are given on a discrete lattice: the operator S is the sampling operator on the continuous distribution f to be recovered. A similar functional may be used to approximate time-varying imagery. The spatio-temporal intensity to be recovered from the data $i(x, y, t)$ is $f(x, y, t)$; the stabilizer imposes the constraint of constant velocity V in the image plane (ref. 61). In area-based optical flow¹⁸, i is the image intensity, u and v are the two components of the velocity field. In surface reconstruction^{21,22} the surface $f(x, y)$ is computed from sparse depth data $d(x, y)$. In the case of colour³² the brightness is measured on each of three appropriate colour coordinates I^v ($v = 1, 2, 3$). The solution vector z contains the illumination and the albedo components separately; it is mapped by A into the ideal data. Minimization of an appropriate stabilizer enforces the constraint of spatially smooth illumination and either constant or sharply varying albedo. For shape from shading¹⁹ and stereo (T.P. and A. Yuille, unpublished), we show two non-quadratic regularization functionals. R is the reflectance map, f and g are related to the components of the surface gradient, E is the brightness distribution¹⁹. The regularization of the disparity field d involves convolution with the laplacian of a gaussian of the left (L) and the right (R) images and a Tikhonov stabilizer corresponding to the disparity gradient.

(see Table 1). Most stabilizing functionals used so far in early vision are of the Tikhonov type, being linear combinations of the first p derivatives of the desired solution z (ref. 12). The solutions arising from these stabilizers correspond to either interpolating or approximating splines. We return now to our examples of motion and edge detection, and show how standard regularization techniques can be applied.

Intuitively, the set of measurements of the normal component of velocity over an extended contour should provide considerable constraint on the global motion of the contour. Some additional assumptions about the nature of the real world are needed, however, in order to combine local measurements at different locations. For instance, the assumption of rigid motion on the image plane is sufficient to determine V uniquely^{23,24}. In this case, local measurements of the normal component at different locations can be used directly to find the optical flow, which is the same everywhere. The assumption, however, is overly restrictive, because it does not cover the case of motion of a rigid object in three-dimensional space (see Fig. 1). Hildreth suggested^{23,24}, following Horn and Schunck¹⁸, a more general smoothness constraint on the velocity field. The underlying physical consideration is that the real world consists of solid objects with smooth surfaces, whose projected velocity field is usually smooth. The specific form of the stabilizer (a Tikhonov stabilizer) was dictated by mathematical considerations, especially uniqueness of the solution. The two regularizing methods correspond to the two algorithms proposed and implemented by Hildreth²³. The first one, which assumes that the

measurements of the normal velocity components $V^N(s)$ are exact, minimizes

$$\|PV\|^2 = \int \left(\frac{\partial V}{\partial s} \right)^2 ds \quad (4)$$

subject to the measurements of the normal component of velocity (where s is arc length). The integral is evaluated along the contour. For non-exact data the second method provides the solution by minimizing

$$\|V \cdot N - V^N\|^2 + \lambda \int \left(\frac{\partial V}{\partial s} \right)^2 ds \quad (5)$$

where N is the normal unit vector to the contour and λ^{-1} expresses the reliability of the data. Figure 2a shows an example of a successful computation of the optical flow by the first algorithm.

Recently, regularization techniques have been applied to edge detection^{26,27}. The problem of numerical differentiation can be regularized by the second method with a Tikhonov stabilizer that reflects a constraint of smoothness on the image (see Table 1). The physical justification is that the image is an analytical function with bounded derivatives, because of the band-limiting properties of the optics that cuts off high spatial frequencies. This regularized solution is equivalent, under mild conditions, to convolving the intensity data with the derivative of a filter similar to the gaussian²⁶ (see Fig. 3), proposed earlier^{28,29}.

Other early vision problems can be solved by standard regularization techniques. Surface reconstruction, for example, can be performed from a sparse set of depth values by imposing smoothness of the surface²⁰⁻²². Optical flow can be computed at each point in the image, rather than along a contour, using a constraint of smooth variation, in the form of a Tikhonov stabilizer¹⁷. Variational principles that are not exactly quadratic but have the form of equation (3) can be used for other problems in early vision. The main results of Tikhonov can in fact be extended to the case in which the operators A and P are nonlinear, provided they satisfy certain conditions³⁰. The variation of an object's brightness gives clues to its shape: the surface orientation can be computed from an intensity image in terms of the variational principle shown in Table 1, which penalizes orientations violating the smoothness constraint and the irradiance constraint¹⁸. Stereo matching is the problem of inferring the correct binocular disparity (and therefore depth) from a pair of binocular images, by finding which feature in one image corresponds to which feature in the other image. This is an ill-posed problem which, under some restrictive conditions corresponding to the absence of occlusions, can be regularized by a variational principle that contains a term measuring the discrepancy between the feature maps extracted from the two images and a stabilizer that penalizes large disparity gradients (see Table 1) and effectively imposes a disparity gradient limit. The algorithm can reduce to an area-based correlation algorithm of the Nishihara type³¹ if the disparity gradient is small. A standard regularization principle has been proposed for solving the problem of separating a material reflectance from a spatially varying illumination in colour images³². The algorithm addresses the problem known in visual psychophysics as colour constancy³³.

Physical plausibility and illusions

Physical plausibility of the solution, rather than its uniqueness, is the most important concern in regularization analysis. A physical analysis of the problem, and of its significant constraints, plays the main role⁸. The *a priori* assumptions required to solve ill-posed problems may be violated in specific instances where the regularized solution does not correspond to the physical solution. The algorithm suffers an optical illusion. A good example is provided by the computation of motion. The smoothness assumption of equation (5) gives correct results under some general conditions (for example, when objects have images consisting of connected straight lines³⁴). For some classes of motion and contours, the smoothness principle will not yield




Fig. 2 Computing the smoothest velocity field along contours. *a*, Three-dimensional stimulus first used by Wallach⁶² to demonstrate the ability of the human visual system to derive three-dimensional structure from the projected two-dimensional motion of an object (kinetic depth effect). The top part shows three views of a figure as it is rotated around the vertical axis. The initial measurements of the normal velocity components V_i^N are shown on the lower right. The velocity field computed using equation (4) is shown on the lower left. The final solution corresponds to the physical correct velocity distribution. Recent electrophysiological evidence implicates the middle temporal area of the monkey as a site where a similar motion integration may occur⁶³. *b*, Circular helix on an imaginary three-dimensional cylinder, rotating about its vertical axis (barber pole). The projection of the curve onto the image plane, together with the resulting two-dimensional velocity vectors are drawn on the left. Although the true velocity field V is strictly horizontal (left), the smoothest velocity field (right) is vertical. This example illustrates a case where both the algorithm and the human visual system suffer the same optical illusion. Adapted from ref. 23.

the correct velocity field. In several of these cases, however, the human visual system also seems to derive a similar, incorrect velocity field, thereby possibly revealing *a priori* assumptions the brain is making about the world. A striking instance is the barber-pole illusion²³ (illustrated in Fig. 2*b*).

Analog networks

One of the mysteries of biological vision is its speed. Parallel processing has often been advocated as the answer to this problem. The model of computation provided by digital processes is, however, unsatisfactory, especially given the increasing evidence that neurones are complex devices, very different from simple digital switches. It is, therefore, interesting to consider whether the regularization approach to early vision may lead to a different type of parallel computation. We have recently suggested that linear, analog networks (either electrical or chemical) are, in fact, a natural way of solving the variational principles dictated by standard regularization theory⁷ (see also refs 22, 35).

The fundamental reason for such a mapping between variational principles and electrical or chemical networks is Hamilton's least action principle. The class of variational principles

that can be computed by analog networks is given by Kirchhoff's current and voltage laws, which represent conservation and continuity restrictions satisfied by each network component (appropriate variables are usually voltage and current for electrical networks and affinity and turnover rate for chemical systems³⁶; see also ref. 37). There is in general no unique network but possibly many networks implementing the same variational principle. For example, graded networks of the type proposed by Hopfield in the context of associative memory³⁸ can solve standard regularization principles³⁹.

From Kirchhoff's law, it can be proved⁷ that for every quadratic variational problem with a unique solution (which is usually the case⁸), there exists a corresponding electrical network consisting of resistances and voltage or current sources having the same solution. In other words, the steady-state current (or voltage) distribution in the network corresponds to the solution, for example to the tangential velocity distribution $V^T(s)$, of the standard regularization problem (Fig. 4). Furthermore, when capacitances are added to the system, thereby introducing dynamics, the system is stable. The data are supplied by injecting currents or by introducing batteries, that is by constant current or voltage sources⁷.

This analog parallel model of computation is especially interesting from the point of view of the present understanding of the biophysics of neurones, membranes and synapses. Increasing evidence shows that electrotonic potentials play a primary role in many neurones⁴⁰. Mechanisms as diverse as dendrodendritic synapses^{41,42}, gap junctions⁴³, neurotransmitters acting over different times and distances⁴⁴, voltage-dependent channels that can be modulated by neuropeptides⁴⁵ and interactions between synaptic conductance changes⁴⁶ provide neurones with various different circuit elements. Patches of neural membrane are equivalent to resistances, capacitances and phenomenological inductances⁴⁷. Synapses on dendritic spines mimic voltage sources, whereas synapses on thick dendrites or the soma act as current sources^{48,49}. Thus, single neurones or small networks of neurones could implement analog solutions of regularization principles. Hypothetical neuronal implementations of the analog circuits of Fig. 4 have been devised, involving only one or two separate dendrites⁷.

Beyond standard regularization theory

The new theoretical framework for early vision clearly shows the attractions and the limitations that are intrinsic to the standard Tikhonov form of regularization theory. The main problem is the degree of smoothness required for the unknown function that has to be recovered. For instance, in surface interpolation, the degree of smoothness corresponding to the so-called thin-plate splines smoothes depth discontinuities too much, and often leads to unrealistic results²⁰ (discontinuities may, however, be detected and then used in a second regularization step⁶⁶).

Standard regularization theory deals with linear problems and is based on quadratic stabilizers. It leads therefore to the minimization of quadratic functionals and to linear Euler-Lagrange equations. Non-quadratic functionals may be needed to enforce the correct physical constraints (Table 1 shows the non-quadratic case of shape-from-shading). Even in this case, methods of standard regularization theory can be used³⁰, but the solution space is no longer convex and many local minima can be found in the process of minimization.

A non-quadratic stabilizer has been proposed for the problem of preserving discontinuities in the reconstruction of surfaces from depth data⁵⁰. The stabilizer, in its basic form attributable to Geman and Geman⁵¹ (a similar principle but without a rigorous justification was proposed by Blake⁵²; see also the variational continuity control of Terzopoulos⁶⁷), embeds prior knowledge about the geometry of the discontinuities (the line process) and, in particular, that they are continuous and often straight contours. In standard regularization principles, the search space has only one local minimum to which suitable algorithms always converge. For non-quadratic functionals, the search space may be similar to a mountain range with many




Fig. 3 A regularized solution to edge detection. *a*, Digital image (256 × 256 pixels) without any filtering (left) and filtered (right) with the two-dimensional operator provided by standard regularization theory²⁶ shown in *d*. *b*, Intensity profile along the scan line indicated in *a* without (left) and with (right) the regularizing operation provided by filtering with the one-dimensional regularized filter²⁶. *c*, Second derivative of the profile shown in *b* without (left) and with (right) the one-dimensional regularizing filtering. *d*, Two-dimensional filter obtained by regularizing the ill-posed problem of edge detection²⁶. It is a quintic spline, very similar to a gaussian distribution. The parameter λ controls the scale of the filter. Its value depends on the signal-to-noise ratio in the image. The spatial receptive field of most ganglion cells in the vertebrate retina have a very similar structure, with a central excitatory region and an inhibitory surround^{64,65}. Drawings kindly provided by Harry Vorhees.

local minima. Stochastic algorithms for solving minimization problems of this type have been proposed recently, to escape from local minima at which simple hill-climbing algorithms would be trapped⁵³⁻⁵⁵. The basic idea is somewhat similar to adding a forcing noise term to the search algorithm. If the non-quadratic variational principle can be represented in a nonlinear analog network (as in ref. 39), an appropriate source of gaussian noise could drive the analog network. The dynamics of the system would then be described by a nonlinear stochastic differential equation, representing a diffusion process.

The challenge now for the regularization theory of vision is to extend it beyond standard regularization methods. The universe of computations that can be performed in terms of quadratic functionals is rather restricted. To see this, it is sufficient to realize that minimization of quadratic cost functionals leads to a linear regularization operator, that is, to a linear mapping of the input data into the solution space. In the special case when the data are on a regular grid and obey suitable conditions, the linear operator may become a convolution, that is, a simple filtering operation on the data. Similar to linear models in physics, standard regularization theory is an extremely useful approximation in many cases, but cannot deal with the full complexity of vision.

Stochastic route to regularization

A different rigorous approach to regularization is based on Bayes estimation and Markov random fields models. In this approach the *a priori* knowledge is represented in terms of appropriate probability distributions, whereas in standard regularization *a priori* knowledge leads to restrictions on the solution space. Consider as an example the case of surface reconstruction. A *a priori* knowledge can be formulated in terms of a Markov random field (MRF) model of the surface. In a MRF the value at one discrete location depends only on the values within a given neighbourhood. In this approach the best surface maximizes some likelihood criterion such as the maximum *a posteriori* estimate or the *a posteriori* mean of the MRF. It has been pointed out⁵⁰ that the maximum *a posteriori* estimate of a MRF is equivalent to a variational principle of the general form of equation (3); the first term measures the discrepancy between the data and the solution, the second term is now an arbitrary potential function of the solution (defined on a discrete lattice). The overall variational principle, in general not quadratic,

reduces to a quadratic functional of the standard regularization type when the noise is additive and gaussian and first-order differences of the field are zero-mean, independent, gaussian random variables. In this case the maximum *a posteriori* estimate (MAP) coincides with all estimates and, in particular, with the *a posteriori* mean. But Marroquin⁵⁶ has shown recently that this is not true in general: in most cases the MAP estimate is not optimal with respect to natural error measures and better estimates such as the *a posteriori* mean can be found. In these cases the problem is not equivalent to finding the global minimum of an energy functional: simulated annealing is not needed, and a Metropolis-type algorithm⁵⁵ can be used instead.




Fig. 4 Analog networks. A resistive network computing the smoothest velocity field²³. The network corresponds to the situation where the measurements of the normal velocity component V_i^N are assumed to be exact. Discretizing the associated variational equation (4) along the contour yields the Euler-Lagrange equations $(2 + \kappa_i^2) V_i^T - V_{i+1}^T - V_{i-1}^T = d_i$, where κ_i is the curvature of the contour at location i , d_i is a function of the data V_i^N and the contour and V_i^T is the unknown tangential component of the velocity V at location i along the contour. The equation describing the i th node in the electrical circuit is $(2g + g_i) V_i - gV_{i+1} - g_{i-1} = I_i$, where V_i is the voltage corresponding to the unknown V_i^T , and I_i is the injected current at node i depending on the measurement V_i^N . A slightly more complicated circuit can be designed for the case when the measurements of V_i^N are not exact⁷ (equation (5)). Uniqueness of the regularized solution always ensures stability of the corresponding network, even if capacities are introduced. Equivalent analog networks can be implemented by diffusion-reaction systems, where the interaction between neighbouring locations are mimicked using diffusion or chemical reactions with first-order kinetics. Hypothetical neuronal implementations may be envisaged. The conductance g may correspond to a small segment of a dendrite, the variable conductance g_i to a synaptic input with a reversal potential close or equal to the resting potential of the dendrite (that is, silent or shunting inhibition) and the current source to a conventional chemical synapse injecting current I_i into the dendrite. The output is sampled at location i by a chemical synapse. Adapted from ref. 7.

In the case of Hildreth's motion computation²³ the smoothness assumption corresponds to the hypothesis that the changes in velocity between neighbouring points along the contour are zero-mean, independent, gaussian random variables. This connection between the stochastic approach and standard regularization methods gives an interesting perspective on the nature of the constraints and the choice of the stabilizer. The variational principles used to solve the inverse problems of vision correspond to the Markov structure that generates plausible solutions.

A related area of future investigation concerns the problem of learning a regularizing operator. In the case of standard regularization, the corresponding linear operator mapping the data into the solution may be learned by an associative learning scheme⁵⁷ of the type proposed in connection with biological memory⁵⁸.

Towards symbolic descriptions

So far, we have restricted our discussion to the early stages of vision that create image-like representations of the physical three-dimensional surfaces around the viewer. The step beyond these representations, also called intrinsic images⁵, or 2-1/2D sketches¹, is a large one. Intrinsic images are still image-like numerical representations, not yet described in terms of objects. They are already sufficient for some of the high-level tasks of a vision system such as manipulation and navigation. They cannot be used directly for the tasks of recognition and description that require the generation and use of more symbolic representations. It seems at first difficult to see how the computation of symbolic representations may fit at all in the perspective of regularizing ill-posed problems.

The basic idea of all regularization methods is to restrict the space of possible solutions. If this space is constrained to have finite dimensions, there is a good chance that an inverse problem will be well-posed. Thus, a representation based on a finite set of discrete symbols regularizes a possibly ill-posed problem. From this point of view, the problem of perception (regularizing an otherwise underconstrained problem using generic constraints of the physical world) becomes practically equivalent to the classical artificial intelligence problem of solving and inference, that is, of finding ways of solving intractable problems (such as chess) by limiting the search for solutions.

Conclusions

We suggest a classification of vision algorithms that maps naturally into parallel digital computer architectures now under development. Standard regularization, when sufficient, leads to two classes of parallel algorithms. Algorithms for finding minima of a convex functional such as steepest descent or the more efficient multigrid algorithms developed for vision⁵⁹ can always be used. They can be replaced by convolution algorithms if the data are given on a regular grid and A in equation (1) is space invariant. In the latter case, the regularized solution is obtained by convolving the data through a precomputed filter.

All these algorithms may be implemented by parallel architectures of many processors with only local connections. Problems that cannot be approached in terms of regularization and that require symbolic representations and operations on them, may need parallel architectures with a global communication facility, such as the Connection Machine currently under development⁶⁰.

The concept of ill-posed problems and the associated old and new regularization theories seem to provide a satisfactory theoretical framework for much of early vision. This new perspective also provides a link between the computational (ill-posed) nature of early vision problems, the structure of the algorithms for solving them and the parallel hardware that can be used for efficient visual information processing. It also shows the intrinsic limitations of the variational principles used so far in early vision, indicating at the same time how to extend regularization analysis beyond the standard theory.

We thank E. Hildreth, A. Hurlbert, J. Marroquin, G. Mitchison, D. Terzopoulos, H. Voorhees and A. Yuille for discussions and suggestions. Mario Bertero first pointed out to us that numerical differentiation is an ill-posed problem. E. Hildreth, L. Ardrey and especially H. Voorhees, K. Sims and M. Drumheller helped with some of the figures. Support for the Artificial Intelligence Laboratory's research in artificial intelligence is provided in part by the Advanced Research Projects Agency of the Department of Defense under Office of Naval Research contract N00014-80-C-0505. The Center for Biological Information Processing is supported in part by the Sloan Foundation and in part by Whitaker College. C.K. is supported by a grant from the Office of Naval Research, Engineering Psychology Division.

- Marr, D. *Vision* (Freeman, San Francisco, 1982).
- Brady, J. M. *Computing Surv.* **14**, 3-71 (1982).
- Ballard, D. H., Hinton, G. E. & Sejnowski, T. J. *Nature* **306**, 21-26 (1983).
- Brown, C. M. *Science* **224**, 1299-1305 (1984).
- Barrow, H. G. & Tenenbaum, J. M. *Artif. Intell.* **17**, 75-117 (1981).
- Marr, D. & Ullman, S. *Proc. R. Soc. B* **211**, 151-180 (1981).
- Poggio, T. & Koch, C. *Proc. R. Soc. B* (in the press).
- Poggio, T. & Torre, V. *Artif. Intell. Lab. Memo No. 773* (MIT, Cambridge, 1984).
- Hadamard, J. *Lectures on the Cauchy Problem in Linear Partial Differential Equations* (Yale University Press, 1923).
- Bertero, M., Del Mol, C. & Pike, E. R. *J. inverse Prob.* (in the press).
- Tikhonov, A. N. *Sov. Math. Dokl.* **4**, 1035-1038 (1963).
- Tikhonov, A. N. & Arsenin, V. Y. *Solutions of Ill-posed Problems* (Winston, Washington, DC, 1977).
- Bertero, M. in *Problem non ben posti ed inversi* (Istituto di Analisi Globale, Firenze, 1982).
- Nashed, M. Z. (ed.) *Generalized Inverses and Applications* (Academic, New York, 1976).
- Wahba, G. *Tech. Rep. No. 595* (University of Wisconsin, 1980).
- Horn, B. K. P. *Computer Graphics Image Processing* **3**, 111-299 (1974).
- Horn, B. K. P. *Robot Vision* (MIT Press & McGraw-Hill, Cambridge & New York, 1985).
- Horn, B. K. P. & Schunck, B. G. *Artif. Intell.* **17**, 185-203 (1981).
- Ikeuchi, K. & Horn, B. K. P. *Artif. Intell.* **17**, 141-184 (1981).
- Grimson, W. E. L. *From Images to Surfaces: A Computational Study of the Human Early Visual System* (MIT, Cambridge, 1981).
- Grimson, W. E. L. *Phil. Trans. R. Soc. B* **298**, 395-427 (1982).
- Terzopoulos, D. *Computer Graphics Image Processing* **24**, 52-96 (1983).
- Hildreth, E. C. *The Measurement of Visual Motion* (MIT Press, Cambridge, 1984).
- Hildreth, E. C. *Proc. R. Soc. B* **221**, 189-220 (1984).
- Horn, B. K. P. & Brooks, M. J. *Artif. Intell. Lab. Memo No. 813* (MIT, Cambridge, 1985).
- Poggio, T., Voorhees, H. & Yuille, A. *Artif. Intell. Lab. Memo No. 833* (MIT, Cambridge, 1985).
- Torre, V. & Poggio, T. *IEEE Trans. Pattern Analysis Machine Intelligence* (in the press).
- Marr, D. & Poggio, T. *Proc. R. Soc. B* **204**, 301-328 (1979).
- Marr, D. & Hildreth, E. C. *Proc. R. Soc. B* **207**, 187-217 (1980).
- Morozov, V. A. *Methods for Solving Incorrectly Posed Problems* (Springer, New York, 1984).
- Nishihara, H. K. *Artif. Intell. Lab. Memo No. 780* (MIT, Cambridge, 1984).
- Hurlbert, A. *Artif. Intell. Lab. Memo No. 814* (MIT, Cambridge, 1985).
- Land, E. H. *Proc. natn. Acad. Sci. U.S.A.* **80**, 5163-5169 (1984).
- Yuille, A. *Artif. Intell. Lab. Memo No. 724* (MIT, Cambridge, 1983); *Advances in Artificial Intelligence* (ed. O'Shea, T. M. M.) (Elsevier, Amsterdam, in the press).
- Ullman, S. *Computer Graphics Image Processing* **9**, 115-125 (1979).
- Eigen, M. in *The Neurosciences: 3rd Study Program* (eds Schmitt, F. O. & Worden, F. G.) xix-xxvii (MIT Press, Cambridge, 1974).
- Oster, G. F., Perelson, A. & Katchalsky, A. *Nature* **234**, 393-399 (1971).
- Hopfield, J. J. *Proc. natn. Acad. Sci. U.S.A.* **81**, 3088-3092 (1984).
- Koch, C., Marroquin, J. & Yuille, A. *Artif. Intell. Lab. Memo No. 751* (MIT, Cambridge, 1985).
- Schmitt, F. O., Dev, P. & Smith, B. H. *Science* **193**, 114-120 (1976).
- Graubard, K. & Calvin, W. H. in *The Neurosciences: 4th Study Program* (eds Schmitt, F. O. & Worden, F. G.) 317-332 (MIT Press, Cambridge, 1979).
- Shepherd, G. M. & Brayton, R. K. *Brain Res.* **175**, 377-382 (1979).
- Bennett, M. V. L. in *Handbook of Physiology*, 221-250 (American Physiological Society, Bethesda, 1977).
- Marder, E. *Trends Neurosci.* **7**, 48-53 (1984).
- Schmitt, F. D. *Neuroscience* **13**, 991-1002 (1984).
- Koch, C., Poggio, T. & Torre, V. *Phil. Trans. R. Soc. B* **298**, 227-268 (1982).
- Cole, K. S. *Membranes, Ions and Impulses* (University of California Press, Berkeley, 1968).
- Jack, J. J., Noble, D. & Tsien, R. W. *Electric Current Flow in Excitable Cells* (Clarendon, Oxford, 1975).
- Koch, C. & Poggio, T. *Proc. R. Soc. B* **218**, 455-477 (1983).
- Marroquin, J. *Artif. Intell. Lab. Memo No. 792* (MIT, Cambridge, 1984).
- Geman, S. & Geman, D. *IEEE Trans. Pattern Analysis Machine Intelligence* **6**, 721-741 (1984).
- Blake, A. *Pattern Recognition Lett.* **1**, 393-399 (1983).
- Hinton, G. E. & Sejnowski, T. J. *Proc. IEEE 1983 Conf. Computer Vision and Pattern Recognition* (Washington, DC, 1983).
- Kirkpatrick, S., Gelatt, C. D. Jr & Vecchi, M. P. *Science* **220**, 671-680 (1983).
- Metropolis, N., Rosenbluth, A., Rosenbluth, M., Teller, A. & Teller, E. *J. chem. Phys.* **21**(6), 1087-1092 (1953).
- Marroquin, J. *Artif. Intell. Lab. Memo No. 839* (MIT, Cambridge, 1985).
- Poggio, T. & Hurlbert, A. *Artif. Intell. Lab. Working Pap. No. 264* (MIT, Cambridge, 1984).
- Kohonen, T. *Self-Organization and Associative Memory* (Springer, Berlin, 1984).
- Terzopoulos, D. *IEEE Trans. Pattern Analysis Machine Intelligence* (in the press).
- Hillis, W. D. *The Connection Machine* (MIT Press, Cambridge, 1985).
- Fahle, M. & Poggio, T. *Proc. R. Soc. B* **213**, 451-477 (1981).
- Wallach, H. & O'Connell, D. N. *J. exp. Psychol.* **45**, 205-217 (1953).
- Movshon, J. A., Adelson, E. H., Gizzi, M. S. & Newsome, W. T. in *Pattern Recognition Mechanisms* (eds Chagas, C., Gattar, R. & Gross, C. G.) 95-107 (Vatican, Rome, 1984); *Exp Brain Res.* (in the press).
- Barlow, H. B. *J. Physiol., Lond.* **119**, 69-88 (1953).
- Kuffler, S. W. *J. Neurophysiol.* **16**, 37-68 (1953).
- Terzopoulos, D. thesis, Massachusetts Inst. Technol. (1948).
- Terzopoulos, D. *Artif. Intell. Lab. Memo No. 800* (MIT, Cambridge, 1985).